American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

No. 1. JANUARY 1995

Lipoxygenase product formation and cell adhesion during neutrophil-glomerular endothelial cell interaction
H. R. Brady, S. Lamas, A. Papayianni, S. Takata, M. Matsubara, and P. A. Marsden F1

Periodic high extracellular glucose enhances production of collagens III and IV by mesangial cells
A. Takeuchi, D. C. Throckmorton, A. P. Brogden, N. Yoshizawa, H. Rasmussen, and M. Kashgarian F13

Electrophysiological study of luminal and basolateral vasopressin in rabbit cortical collecting duct
M. Naruse, K. Yoshitomi, K. Hanaoka, M. Imai, and K. Kurokawa F20

Role of lipid peroxidation in H_2O_2-induced renal epithelial (LLC-PK_1) cell injury
A. K. Salahudeen F30

Effects of endothelins on renin secretion from isolated mouse renal juxtaglomerular cells
T. Ritthaler, H. Scholz, M. Ackermann, G. Riegger, A. Kurtz, and B. K. Krämer F39

P-glycoprotein-mediated secretion of a fluorescent cyclosporin analogue by teleost renal proximal tubules
U. Schramm, G. Fricker, R. Wenger, and D. S. Miller F46

Adaptation of inner medullary collecting duct to dehydration involves a paracellular pathway
B. Flamion, K. R. Spring, and M. Abramow F53

ADH-evoked $[Cl^-]_i$-dependent transient in whole cell current of distal nephron cell line A6
T. Nakahari and Y. Marunaka F64

Fulminant metanephric apoptosis and abnormal kidney development in bcl-2-deficient mice
C. M. Sorenson, S. A. Rogers, S. J. Korsmeyer, and M. R. Hammerman F73

Morphometric analysis of effects of angiotensin II on glomerular structure in rats
M. E. Pagtalunan, R. Rasch, H. G. Rennke, and T. W. Meyer F82

Sodium entry mechanisms in distal convoluted tubule cells
F. A. Gesek and P. A. Friedman F89

Expression and cellular localization of mRNA encoding the "gastric" isoform of H^+-K^+-ATPase α-subunit in rat kidney
K. Y. Ahn and B. C. Kone F99

Modulation by Gly, Ca, and acidosis of injury-associated unesterified fatty acid accumulation in proximal tubule cells
J. M. Weinberg, M. A. Venkatachalam, H. Goldberg, N. F. Roeser, and J. A. Davis F110

Identification of a rat glomerular mesangial cell mitogenic 5-HT_{2A} receptor
C. G. Nebigil, M. N. Garnovskaya, R. F. Spurney, and J. R. Raymond F122

Triiodothyronine stimulates renal epidermal growth factor expression in adult rat
S. A. Rogers, S. B. Miller, and M. R. Hammerman F128

Heat-shock-stimulated transepithelial daunomycin secretion by flounder renal proximal tubule primary cultures
C. Sussman-Turner and J. L. Renfro F135

Rabbit cortical collecting ducts express a novel prostacyclin receptor
R. L. Hébert, L. Regnier, and L. N. Peterson F145

Ca^{2+}-dependent protein kinases modulate proline transport across the renal brush-border membrane
I. Zelikovic and J. Przekwas F155

MODELING IN PHYSIOLOGY

Instantaneous and steady-state gains in the tubuloglomerular feedback system
H. E. Layton, E. B. Pitman, and L. C. Moore F163

SPECIAL COMMUNICATION

Validation of miniature ultrasonic transit-time flow probes for measurement of renal blood flow in rats
W. J. Welch, X. Deng, H. Snellen, and C. S. Wilcox F175

No. 2. FEBRUARY 1995

Acid extrusion in S3 segment of rabbit proximal tubule. I. Effect of bilateral CO_2/HCO_3^-
L. K. Chen and W. F. Boron F179

Acid extrusion in S3 segment of rabbit proximal tubule. II. Effect of basolateral CO_2/HCO_3^-
L. K. Chen and W. F. Boron F193

Stimulation of chloride transport by cAMP in rat proximal tubules
T. Wang, A. S. Segal, G. Giebisch, and P. S. Aronson F204

Role of Ca^{2+}/CaMK II in Ca^{2+}-induced K^+ channel inhibition in rat CCD principal cell
M. Kubokawa, W. Wang, C. M. McNicholas, and G. Giebisch F211

Localization of angiotensin II type 1 receptor subtype mRNA in rat kidney
D. P. Healy, M.-Q. Ye, and M. Troyanovskaya F220

Short-term response of nonurea organic osmolytes in human kidney to a water load and water deprivation
P. C. B. Sizeland, S. T. Chambers, M. Lever, L. M. Bason, and R. A. Robson F227

Bicarbonate transport along the loop of Henle: effects of adrenal steroids
R. Unwin, G. Capasso, and G. Giebisch F234

Expression of vascular endothelial growth factor and its receptors in human renal ontogenesis and in adult kidney
M. Simon, H.-J. Gröne, O. Jöhren, J. Kullmer, K. H. Plate, W. Risau, and E. Fuchs F240

Branching points of renal resistance arteries are enriched in L-type calcium channels and initiate vasoconstriction
M. S. Goligorsky, D. Colflesh, D. Gordienko, and L. C. Moore F251

Acute inflammation is the harbinger of glomerulosclerosis in anti-glomerular basement membrane nephritis
A. L. Scandrett, J. Kissane, and J. B. Lefkowith F258

In vitro production of angiotensin II by isolated glomeruli
B. A. Atiyeh, B. S. Arant, Jr., W. L. Henrich, and M. G. Seikaly F266

IL-1β increases laminin B2 chain mRNA levels and activates NF-κB in rat glomerular epithelial cells
C. A. Richardson, K. L. Gordon, W. G. Couser, and K. Bomsztyk F273

Dopamine and protein phosphatase activity in renal proximal tubules
E. Slobodyansky, Y. Aoki, A. K. M. Gaznabi, D. H. Aviles, R. D. Fildes, and P. A. Jose F279

Biotinylation and assessment of membrane polarity: caveats and methodological concerns
C. J. Gottardi, L. A. Dunbar, and M. J. Caplan F285

Intravertebral ANG II effects on plasma renin and Na excretion in dogs at constant renal artery pressure
E. W. Quillen, Jr., and I. A. Reid F296

Dietary protein does not alter intrinsic reactivity of renal microcirculation to angiotensin II in rodents
S. R. Inman, N. T. Stowe, J. V. Nally, Jr., B. H. Brouhard, and D. G. Vidt F302

Epidermal growth factor inhibits Na-P_i cotransport and mRNA in OK cells
M. Arar, M. Baum, J. Biber, H. Murer, and M. Levi F309

cAMP modulates transepithelial resistance response of LLC-PK_1 renal epithelia to tumor necrosis factor
C. W. Marano, K. V. Laughlin, L. M. Russo, T. H. Short, and J. M. Mullin F315

A novel cGMP-activated Cl^- channel in renal proximal tubules
N. Darvish, J. Winaver, and D. Dagan F323

Pathways involved in PTH-induced rise in cytosolic Ca^{2+} concentration of rat renal proximal tubule
H. Tanaka, M. Smogorzewski, M. Koss, and S. G. Massry F330

Interaction between cGMP-dependent dilators and autoregulation in rat preglomerular vasculature
N. Bouriquet and D. Casellas F338

Electrogenic sodium absorption and chloride secretion by an inner medullary collecting duct cell line (mIMCD-K2)
N. L. Kizer, B. Lewis, and B. A. Stanton F347

ANNOUNCEMENTS F356

No. 3. MARCH 1995

EDITORIAL REVIEW

X-linked hypophosphatemic rickets and the murine *Hyp* homologue
K. A. Hruska, L. Rifas, S.-L. Cheng, A. Gupta, L. Halstead, and L. Avioli F357

Renal expression of the gene encoding the gastric H^+-K^+-ATPase β-subunit
J. M. Callaghan, S.-S. Tan, M. A. Khan, K. A. Curran, W. G. Campbell, A. J. Smolka, B.-H. Toh, P. A. Gleeson, C. S. Wingo, B. D. Cain, and I. R. van Driel F363

An NMR study of cellular phosphates and membrane transport in renal proximal tubules
M. C. Chobanian, M. E. Anderson, and P. C. Brazy F375

Desensitization of endothelin-1 binding by vasopressin via a cAMP-mediated pathway in rat CCD
F. Takemoto, S. Uchida, H. Katagiri, Y. Oka, A. Nakao, and K. Kurokawa F385

H^+-peptide cotransport in Madin-Darby canine kidney cells: expression and calmodulin-dependent regulation
M. Brandsch, V. Ganapathy, and F. H. Leibach F391

Water channel expression in human ADPKD kidneys
D. R. Bachinsky, I. Sabolić, D. S. Emmanouel, D. M. Jefferson, F. A. Carone, D. Brown, and R. D. Perrone F398

Pressure dependency of canine intrarenal blood flow within the range of autoregulation
L. O. Lerman, M. D. Bentley, M. J. Fiksen-Olsen, D. M. Strick, E. L. Ritman, and J. C. Romero F404

Amiloride-sensitive Na^+/H^+ antiporter in basolateral membrane of hamster ascending thin limb of Henle's loop
I. Fujiwara, Y. Kondo, Y. Igarashi, C. N. Inoue, N. Takahashi, K. Tada, and K. Abe F410

Attenuation of renal effects of atrial natriuretic factor during rat pregnancy
S. Omer, S. Mulay, P. Cernacek, and D. R. Varma F416

Cloning of the porcine D_{1A} dopamine receptor gene expressed in renal epithelial LLC-PK_1 cells
A. C. Grenader, D. A. O'Rourke, and D. P. Healy F423

Temperature-sensitive SV40 immortalized rat proximal tubule cell line has functional renin-angiotensin system
S.-S. Tang, F. Jung, D. Diamant, D. Brown, D. Bachinsky, P. Hellman, and J. R. Ingelfinger F435

Caffeine modulates Ca^{2+} receptor activation in isolated rat osteoclasts and induces intracellular Ca^{2+} release
V. S. Shankar, M. Pazianas, C. L.-H. Huang, B. Simon, O. A. Adebanjo, and M. Zaidi F447

Role of endothelin receptor subtypes in the in vivo regulation of renal function
A. L. Clavell, A. J. Stingo, K. B. Margulies, R. R. Brandt, and J. C. Burnett, Jr. F455

Regulation of renal cortical Na-HCO_3 cotransporter. II. Role of G proteins
O. S. Ruiz, Y.-Y. Qiu, L.-J. Wang, and J. A. L. Arruda F461

Renal hemodynamics and blood flow autoregulation during acute cyclooxygenase inhibition in male rats
R. A. Kramp, J. Genard, P. Fourmanoir, N. Caron, G. Laekeman, and A. Herman F468

Feedback regulation of Na channels in rat CCT. III. Response to cAMP
G. Frindt, R. B. Silver, E. E. Windhager, and L. G. Palmer F480

Potassium secretion is inhibited by metabolic acidosis in rabbit cortical collecting ducts in vitro
K. Tabei, S. Muto, H. Furuya, Y. Sakairi, Y. Ando, and Y. Asano F490

Extracellular ATP and UTP trigger calcium entry in mouse cortical thick ascending limbs
M. Paulais, M. Baudouin-Legros, and J. Teulon F496

Variant chicken AE1 anion exchangers possess divergent NH_2-terminal cytoplasmic domains
K. H. Cox and J. V. Cox F503

Increased Tyr phosphorylation of ZO-1 during modification of tight junctions between glomerular foot processes
H. Kurihara, J. M. Anderson, and M. G. Farquhar F514

Molecular characterization of renal calcium channel β-subunit transcripts
A. S. L. Yu, M. Boim, S. C. Hebert, A. Castellano, E. Perez-Reyes, and J. Lytton F525

Apolipoprotein AI levels are increased in part as a consequence of reduced catabolism in nephrotic rats
G. A. Kaysen, E. Hoye, and H. Jones, Jr. F532

ANNOUNCEMENTS F541

No. 4. APRIL 1995

Drawbacks of the constant-infusion technique for measurement of renal function
B. A. C. van Acker, G. C. M. Koomen, and L. Arisz F543

β-Adrenergic receptor function in rat proximal tubule epithelial cells in culture
A. S. Hanson and S. L. Linas F553

Role of chloride in the variable response of the kidney to cyclooxygenase inhibition
K. Yin, J. C. McGiff, and C. P. Bell-Quilley F561

Effect of basolateral or apical hyposmolarity on apical maxi K channels of everted rat collecting tubule
L. C. Stoner and G. E. Morley F569

Expression of gastric and colonic H^+-K^+-ATPase in the rat kidney
J. A. Kraut, F. Starr, G. Sachs, and M. Reuben F581

Acute renal hemodynamic effects of ACE inhibition in diabetic hyperfiltration: role of kinins
R. Komers and M. E. Cooper F588

Hypotonicity increases basolateral taurine permeability in rabbit proximal convoluted tubule
S. Breton, M. Marsolais, and R. Laprade F595

Adhesion of calcium oxalate monohydrate crystals to renal epithelial cells is inhibited by specific anions
J. C. Lieske, R. Leonard, and F. G. Toback F604

Effect of age on dopaminergic responses to protein feeding
N. K. Fukagawa, L. G. Bandini, M. A. Lee, and J. B. Young F613

Cloning of a rabbit renal Na-P_i cotransporter, which is regulated by dietary phosphate
T. Verri, D. Markovich, C. Perego, F. Norbis, G. Stange, V. Sorribas, J. Biber, and H. Murer F626

Thyroid hormones regulate development of energy metabolism enzymes in rat proximal convoluted tubule
A. Wijkhuisen, F. Djouadi, J. Vilar, C. Merlet-Benichou, and J. Bastin F634

Enhanced transcription of metallothionein genes in rat kidney: effect of uninephrectomy and compensatory renal growth
R. K. Zalups, J. Fraser, and J. Koropatnick F643

Postischemic thyroxin stimulates renal mitochondrial adenine nucleotide translocator activity
I. Boydstun, S. Najjar, M. Kashgarian, T. Carpenter, and N. Siegel F651

Renal localization and actions of adrenomedullin: a natriuretic peptide
M. Jougasaki, C.-M. Wei, L. L. Aarhus, D. M. Heublein, S. M. Sandberg, and J. C. Burnett, Jr. F657

Regulation of transcription by the rat *EGF* gene promoter in normal and ischemic murine kidney cells
P. M. Price, J. Megyesi, S. Saggi, and R. L. Safirstein F664

Modulation of intracellular Ca^{2+} by glucose in MDCK cells: role of endoplasmic reticulum Ca^{2+}-ATPase
Y.-H. H. Lien, X. Wang, R. J. Gillies, and R. Martinez-Zaguilan F671

Convective uphill transport of NaCl from ascending thin limb of loop of Henle
J. L. Stephenson, J. F. Jen, H. Wang, and R. P. Tewarson F680

Comparison of central core and radially separated models of renal inner medulla
J. F. Jen, H. Wang, R. P. Tewarson, and J. L. Stephenson F693

Effect of vasa recta flow on concentrating ability of models of renal inner medulla
J. L. Stephenson, H. Wang, and R. P. Tewarson F698

Role of glucocorticoids in the maturation of renal cortical Na^+/H^+ exchanger activity during fetal life in sheep
E. N. Guillery, L. P. Karniski, M. S. Mathews, W. V. Page, J. Orlowski, P. A. Jose, and J. E. Robillard F710

Clearance of endogenous lithium in humans: altered dietary salt intake and comparison with exogenous lithium clearance
E. Folkerd, D. R. J. Singer, F. P. Cappuccio, N. D. Markandu, B. Sampson, and G. A. MacGregor F718

Chloride transport in the rat S1 proximal tubule
K. R. Wong, C. A. Berry, and M. G. Cogan F723

ANF and angiotensin II interact via kinases in the proximal straight tubule
N. H. Garcia and J. L. Garvin F730

Error propagation in the estimation of glomerular pressure from macromolecule sieving data
A. Edwards and W. M. Deen F736

Kinetics of monocyte 1α-hydroxylase in renal failure
M. Gallieni, S. Kamimura, A. Ahmed, E. Bravo, J. Delmez, E. Slatopolsky, and A. Dusso F746

Effect of peptide YY on human renal function
R. J. Playford, S. Mehta, P. Upton, R. Rentch, S. Moss, J. Calam, S. Bloom, N. Payne, M. Ghatei, R. Edwards, and R. Unwin F754

Two proximal CArG elements regulate SM α-actin promoter, a genetic marker of activated phenotype of mesangial cells
M. S. Simonson, K. Walsh, C. C. Kumar, P. Bushel, and W. H. Herman F760

Cytokines activate inducible nitric oxide synthase gene transcription in inner medullary collecting duct cells
M. G. Mohaupt, J. Schwöbel, J. L. Elzie, G. S. Kannan, and B. C. Kone F770

Effect of barium on potassium diffusion across the proximal convoluted tubule of the anesthetized rat
J. D. Kibble, M. Wareing, R. W. Wilson, and R. Green F778

RAPID COMMUNICATION

Parathyroid hormone action on phosphate transporter mRNA and protein in rat renal proximal tubules
S. A. Kempson, M. Lötscher, B. Kaissling, J. Biber, H. Murer, and M. Levi F784

No. 5. MAY 1995

Subtotal but not unilateral nephrectomy induces hyperplasia and protooncogene expression
F. Terzi, C. Ticozzi, M. Burtin, V. Motel, H. Beaufils, D. Laouari, B. M. Assael, and C. Kleinknecht F793

Neutral phosphate administration generates and maintains renal metabolic alkalosis and hyperparathyroidism
R. Krapf, M. Glatz, and H. N. Hulter F802

Activation of protein kinase C stimulates cAMP phosphodiesterase in rat renal collecting tubule
T. Tetsuka, E. Kusano, S. Takeda, S. Homma, I. Yoshida, Y. Ando, and Y. Asano F808

Ontogeny of rabbit renal cortical NHE3 and NHE1: effect of glucocorticoids
M. Baum, D. Biemesderfer, D. Gentry, and P. S. Aronson F815

ANG II dependence of tubuloglomerular feedback responsiveness in hypertensive *ren*-2 transgenic rats
K. D. Mitchell and J. J. Mullins F821

Convergence of apical and basolateral endocytic pathways for β_2-microglobulin in LLC-PK_1 cells
M. Cohen, D. P. Sundin, R. Dahl, and B. A. Molitoris F829

Disturbances in renal microcirculation induced by myoglobin and hemorrhagic hypotension in anesthetized rat
F. Vetterlein, F. Hoffmann, J. Pedina, M. Neckel, and G. Schmidt F839

Heterogeneity of chloride/base exchange in rabbit superficial and juxtamedullary proximal convoluted tubules
J.-N. Sheu, R. Quigley, and M. Baum F847

Vasopressin and cAMP stimulate electrogenic chloride secretion in an IMCD cell line
N. L. Kizer, D. Vandorpe, B. Lewis, B. Bunting, J. Russell, and B. A. Stanton F854

Glucocorticoid upregulates Na-K-ATPase α- and β-mRNA via an indirect mechanism in proximal tubule cell primary cultures
Y.-C. Lee, H.-H. Lin, and M.-J. Tang F862

Endocrine responses of fetal sheep to prolonged hypoxemia with and without acidemia: relation to urine production
M. E. Wlodek, R. A. Brace, M. L. Cock, S. B. Hooper, and R. Harding F868

Calcium activation mechanisms in the renal microvascular response to extracellular ATP
E. W. Inscho, K. Ohishi, A. K. Cook, T. P. Belott, and L. G. Navar F876

Topography of nitric oxide synthesis by localizing constitutive NO synthases in mammalian kidney
S. Bachmann, H. M. Bosse, and P. Mundel F885

Endosomal alkalinization reduces J_{max} and K_m of albumin receptor-mediated endocytosis in OK cells
M. Gekle, S. Mildenberger, R. Freudinger, and S. Silbernagl F899

Restoration of vasa recta hemodynamics and pressure natriuresis in SHR by L-arginine
T. S. Larson and J. C. Lockhart F907

Glomerular handling of circulating glycated albumin in the normal mouse kidney
I. Londoño, L. Ghitescu, and M. Bendayan F913

Expression of angiotensin II AT_2 receptor mRNA during development of rat kidney and adrenal gland
S. Shanmugam, C. Llorens-Cortes, E. Clauser, P. Corvol, and J.-M. Gasc F922

5,6-EET inhibits ion transport in collecting duct by stimulating endogenous prostaglandin synthesis
Y. Sakairi, H. R. Jacobson, T. D. Noland, J. H. Capdevila, J. R. Falck, and M. D. Breyer F931

ANG II is a mitogen for a murine cell line isolated from medullary thick ascending limb of Henle's loop
G. Wolf, F. N. Ziyadeh, U. Helmchen, G. Zahner, R. Schroeder, and R. A. K. Stahl F940

Effect of nitric oxide on renin secretion. I. Studies in isolated juxtaglomerular granular cells
S. G. Greenberg, X. He, J. B. Schnermann, and J. P. Briggs F948

Effect of nitric oxide on renin secretion. II. Studies in the perfused juxtaglomerular apparatus
X.-R. He, S. G. Greenberg, J. P. Briggs, and J. B. Schnermann F953

Effects of barium ions on tubuloglomerular feedback
J. Schnermann F960

SPECIAL COMMUNICATION

A novel method for infusing drugs continuously into the renal artery of rats
N. Parekh F967

MODELING IN PHYSIOLOGY

Capillary network structure does not affect theoretical analysis of glomerular size selectivity
A. Remuzzi and B. Ene-Iordache F972

No. 6. JUNE 1995

WALTER B. CANNON LECTURE

Introduction F981

Molecular basis of osmotic regulation
M. B. Burg F983

Serotonin activates phospholipase D in rat mesangial cells
D. Kurscheid-Reich, D. C. Throckmorton, and H. Rasmussen F997

Glomerular and tubular interactions between renal adrenergic activity and nitric oxide
F. B. Gabbai, S. C. Thomson, O. Peterson, L. Wead, K. Malvey, and R. C. Blantz F1004

Differences in photoaffinity labeling of DA_1 receptors in renal proximal tubules from normotensive rat and SHR
P. Vachvanichsanong, K. Kimura, and A. Sidhu F1009

Coordinate regulation of rat renal parathyroid hormone receptor mRNA and Na-P_i cotransporter mRNA and protein
R. Kilav, J. Silver, J. Biber, H. Murer, and T. Naveh-Many F1017

Aquaporin-1 water channels in short and long loop descending thin limbs and in descending vasa recta in rat kidney
S. Nielsen, T. Pallone, B. L. Smith, E. I. Christensen, P. Agre, and A. B. Maunsbach F1023

Cloning, genetic mapping, and expression analysis of a mouse renal sodium-dependent phosphate cotransporter
S. S. Chong, C. A. Kozak, L. Liu, K. Kristjansson, S. T. Dunn, J. E. Bourdeau, and M. R. Hughes F1038

Expression of mRNAs for different types of IP_3 receptors in rat kidneys
T. Yang, Y. Terada, H. Nonoguchi, K. Tomita, and F. Marumo F1046

The parietal sheet of Bowman's capsule of rat renal glomerulus: a target of endothelin and PAF
J. Marchetti, P. Meneton, F. Lebrun, M. Bloch-Faure, and R. M. Rajerison F1053

Effect of P_i restriction on renal Na^+-P_i cotransporter mRNA and immunoreactive protein in X-linked *Hyp* mice
H. S. Tenenhouse, J. Martel, J. Biber, and H. Murer F1062

Molecular analysis of β-adrenergic receptor subtypes in rat collecting duct: effects on cell cAMP and Ca^{2+} levels
B. Mandon, E. Siga, A. Champigneulle, M. Imbert-Teboul, and J.-M. Elalouf F1070

Nitric oxide alters cytosolic potassium in cultured glomerular mesangial cells
M. B. Ganz, S. E. Kasner, and R. J. Unwin F1081

A decreased tubular uptake of dopa results in defective renal dopamine production in aged rats
I. Armando, S. Nowicki, J. Aguirre, and M. Barontini F1087

Luminal prostaglandin E_2 modulates sodium and water transport in rabbit cortical collecting ducts
Y. Ando and Y. Asano F1093

Expression of transmembrane-type protein tyrosine phosphatase mRNA along rat nephron segments
T. Kaneko, T. Moriyama, E. Imai, Y. Akagi, M. Arai, T. Inoue, C. Xia, T. Noguchi, T. Kamada, and N. Ueda F1102

Interaction of α-KG with basolateral organic anion transporter in isolated rabbit renal S3 proximal tubules
S. Shpun, K. K. Evans, and W. H. Dantzler F1109

Regulation of renal growth factors and clusterin by AT_1 receptors during neonatal ureteral obstruction
K. H. Chung, R. A. Gomez, and R. L. Chevalier F1117

ROMK inwardly rectifying ATP-sensitive K^+ channel. I. Expression in rat distal nephron segments
W.-S. Lee and S. C. Hebert F1124

ROMK inwardly rectifying ATP-sensitive K^+ channel. II. Cloning and distribution of alternative forms
M. A. Boim, K. Ho, M. E. Shuck, M. J. Bienkowski, J. H. Block, J. L. Slightom, Y. Yang, B. M. Brenner, and S. C. Hebert F1132

Ouabain-sensitive and -insensitive K-ATPases in rat nephron: effect of K depletion
M. Younes-Ibrahim, C. Barlet-Bas, B. Buffin-Meyer, L. Cheval, R. Rajerison, and A. Doucet F1141

Cytosolic Ca^{2+} dynamics in hamster ascending thin limb of Henle's loop
N. Takahashi, Y. Kondo, O. Ito, Y. Igarashi, K. Omata, and K. Abe F1148

Protein synthesis inhibition induces cytoresistance in cultured human proximal tubular (HK-2) cells
M. Iwata, J. Herrington, and R. A. Zager F1154

Ontogeny of NO synthase and renin in juxtaglomerular apparatus of rat kidneys
E. Fischer, J. Schnermann, J. P. Briggs, W. Kriz, P. M. Ronco, and S. Bachmann F1164

Metabolic effects of fatty acid-bearing albumin on a proximal tubule cell line
M. E. Thomas, A. R. Morrison, and G. F. Schreiner F1177

Localization of dopamine D_{1A} receptor protein in rat kidneys
D. P. O'Connell, S. J. Botkin, S. I. Ramos, D. R. Sibley, M. A. Ariano, R. A. Felder, and R. M. Carey F1185

Expression cloning of an AVP-activated, calcium-mobilizing receptor from rabbit kidney medulla
M. A. Burnatowska-Hledin, W. S. Spielman, W. L. Smith, P. Shi, J. M. Meyer, and D. L. Dewitt F1198

HGF-mediated chemotaxis and tubulogenesis require activation of the phosphatidylinositol 3-kinase
M. P. Derman, M. J. Cunha, E. J. G. Barros, S. K. Nigam, and L. G. Cantley F1211

RAPID COMMUNICATIONS

Urea transport in initial IMCD of rats fed a low-protein diet: functional properties and mRNA abundance
Z. M. Ashkar, S. Martial, T. Isozaki, S. R. Price, and J. M. Sands F1218

RT-PCR analysis of Na^+/H^+ exchanger mRNAs in rat medullary thick ascending limb
P. Borensztein, M. Froissart, K. Laghmani, M. Bichara, and M. Paillard F1224

LETTERS TO THE EDITOR

Analysis of lithium in renal tubular fluid by atomic absorption spectrometry with use of tantalum foil
P. Boer, R. Fransen, W. H. Boer, and H. A. Koomans; M. Shalmi F1229

ANNOUNCEMENTS

F1232

Subject Index to Volume 37 F1233
Author Index to Volume 37 F1245